

Паровые стерилизаторы (автоклавы) АС-400, микрошариковые стерилизаторы MBS-200, капсулы, стеклянные бусины, принтеры, бумага

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cen@nt-rt.ru || сайт: <http://coleparmer.nt-rt.ru/>

Cole-Parmer® AC-400 Series Research Autoclaves



Compact design fits the most crowded benchtop

- Space-saving design features large sterilization chamber
- Fully automatic – just press “start”
- Built-in water tank – no external connection needed
- Large LCD controls

These Cole-Parmer autoclaves are perfect for sterilizing your laboratory fluids, media, instruments, and glassware right on your benchtop. The design is compact yet still features a large stainless steel sterilization chamber and built-in water tank. A safety interlock feature prevents the door from being opened until pressure has reached 0 psi.

Fully automatic operation allows all segments of the cycle (fill, sterilize, exhaust, and dry) to start and run by simply pressing the “start” button. The large LCD allows you to monitor conditions while the cycle is in process.

Preprogrammed temperatures (121°C, 134°C) and preset cycles let you easily meet your sterilization needs. The sterilization time is fully adjustable, plus an additional “Dry Only” option is available to add additional drying time at the end of a cycle.

A USB drive can be used to document parameters and transfer them to a computer. An optional thermal mini printer is available to record the parameters for unattended usage.

Compare item		Chamber Capacity (Liters)	Chamber Capacity (Qt)	Power (VAC)
	EW-01850-34	8	8.45	115

Compare item	Chamber Capacity (Liters)	Chamber Capacity (Qt)	Power (VAC)
EW-01850-35 —	8	8.45	230
EW-01850-38 —	28	29.6	208 / 240
EW-01850-43 —	28	29.6	120
EW-01850-44 —	18	19	120
EW-01850-45 —	18	19	220

Cole-Parmer Mini Research Autoclave, 8 L; 115 VAC

Cole-Parmer – Item # EW-01850-34

Specifications & Description

•	Chamber Capacity (Qt) 8.45
•	Chamber Capacity (Liters) 8
•	Chamber Diameter (in) 6.7
•	Chamber Depth (in) 12.5
•	Chamber Diameter (cm) 17
•	Chamber Depth (cm) 31
•	Min Temperature (° F) 250
•	Max Temperature (° F) 273
•	Min Temperature (° C) 121
•	Max Temperature (° C) 134
•	Reservoir Capacity (Qt) 2.6
•	Reservoir Capacity (Liters) 2.5
•	Max Pressure (PSI) 29
•	Width (in) 20
•	Height (in) 12 29/32
•	Depth (in) 13 1/2
•	Width (cm) 51
•	Height (cm) 33
•	Depth (cm) 34
•	TimerYes
•	Timer Range1 to 60 min at 121°C; 1 to 20 min at 134°C
•	Shelves2
•	Chamber constructionStainless steel
•	DisplayLCD
•	Power (VAC) 115
•	Power (Hz) 50/60
•	Power (watts) 950
•	DescriptionMini Research Autoclave, 8 L; 115 VAC
•	Warranty 3 Years

Cole-Parmer – Item # EW-01850-35

Specifications & Description

•	Chamber Capacity (Qt) 8.45
•	Chamber Capacity (Liters) 8
•	Chamber Diameter (in) 6.7
•	Chamber Depth (in) 12.5
•	Chamber Diameter (cm) 17
•	Chamber Depth (cm) 31
•	Min Temperature (° F) 250
•	Max Temperature (° F) 273
•	Min Temperature (° C) 121
•	Max Temperature (° C) 134
•	Reservoir Capacity (Qt) 2.6
•	Reservoir Capacity (Liters) 2.5
•	Max Pressure (PSI) 29

- Width (in) 20
- Height (in) 12 29/32
- Depth (in) 13 1/2
- Width (cm) 51
- Height (cm) 33
- Depth (cm) 34
- TimerYes
- Timer Range1 to 60 min at 121°C; 1 to 20 min at 134°C
- Shelves2
- Chamber constructionStainless steel
- DisplayLCD
- Power (VAC) 230
- Power (Hz) 50/60
- Power (watts) 950
- DescriptionMini Research Autoclave, 8 L; 230 VAC
- Warranty 3 Years

Cole-Parmer Research Autoclave, 28 L; 208/240 VAC

Cole-Parmer – Item # EW-01850-38

Specifications & Description

- Chamber Capacity (Qt) 29.6
- Chamber Capacity (Liters) 28
- Chamber Diameter (in) 12.6
- Chamber Depth (in) 16.4
- Chamber Diameter (cm) 32
- Chamber Depth (cm) 41.7
- Min Temperature (° F) 250
- Max Temperature (° F) 273
- Min Temperature (° C) 121
- Max Temperature (° C) 134
- Reservoir Capacity (Qt) 8.5
- Reservoir Capacity (Liters) 8
- Max Pressure (PSI) 34.8
- Width (in) 25
- Height (in) 22
- Depth (in) 25
- Width (cm) 63.5
- Height (cm) 55.9
- Depth (cm) 63.5
- TimerYes
- Timer Range1 to 60 min at 121°C; 1 to 20 min at 134°C
- Shelves3
- Chamber constructionStainless steel
- DisplayLCD
- Power (VAC) 208 / 240
- Power (Hz) 50/60
- Power (watts) 2300
- DescriptionResearch Autoclave, 28 L; 208/240 VAC
- Warranty 3 Years

Cole-Parmer Research Autoclave, 28L; 120 VAC

Cole-Parmer – Item # EW-01850-43

Specifications & Description

- Chamber Capacity (Qt) 29.6
- Chamber Capacity (Liters) 28
- Chamber Diameter (in) 12.6
- Chamber Depth (in) 16.4
- Chamber Diameter (cm) 32
- Chamber Depth (cm) 41.7
- Min Temperature (° F) 250
- Max Temperature (° F) 273
- Min Temperature (° C) 121
- Max Temperature (° C) 134
- Reservoir Capacity (Qt) 8.5
- Reservoir Capacity (Liters) 8
- Max Pressure (PSI) 34.8
- Width (in) 25
- Height (in) 22
- Depth (in) 25
- Width (cm) 63.5
- Height (cm) 55.9
- Depth (cm) 63.5
- TimerYes
- Timer Range1 to 60 min at 121°C; 1 to 20 min at 134°C
- Shelves3
- Chamber constructionStainless steel
- DisplayLCD
- Power (VAC) 120
- Power (Hz) 50/60
- Power (watts) 2300
- DescriptionResearch Autoclave, 28L; 120 VAC
- Warranty 3 Years

Cole-Parmer Research Autoclave, 18L; 120 VAC

Cole-Parmer – Item # EW-01850-44

Specifications & Description

- Chamber Capacity (Qt) 19
- Chamber Capacity (Liters) 18
- Chamber Diameter (in) 9.8
- Chamber Depth (in) 13.77
- Chamber Diameter (cm) 24.8
- Chamber Depth (cm) 35
- Min Temperature (° F) 250
- Max Temperature (° F) 273
- Min Temperature (° C) 121
- Max Temperature (° C) 134
- Reservoir Capacity (Qt) 2.6
- Reservoir Capacity (Liters) 2.5
- Max Pressure (PSI) 29
- Width (in) 22
- Height (in) 15 45/64
- Depth (in) 17 1/2
- Width (cm) 56

- Height (cm) 40
- Depth (cm) 44.5
- TimerYes
- Timer Range1 to 60 min at 121°C; 1 to 20 min at 134°C
- Shelves3
- Chamber constructionStainless steel
- DisplayLCD
- Power (VAC) 120
- Power (Hz) 50/60
- Power (watts) 1600
- DescriptionResearch Autoclave, 18L; 120 VAC
- Warranty 3 Years

Cole-Parmer Research Autoclave,18L; 220 VAC

Cole-Parmer – Item # EW-01850-45

Specifications & Description

- Chamber Capacity (Qt) 19
- Chamber Capacity (Liters) 18
- Chamber Diameter (in) 9.8
- Chamber Depth (in) 13.77
- Chamber Diameter (cm) 24.8
- Chamber Depth (cm) 35
- Min Temperature (° F) 250
- Max Temperature (° F) 273
- Min Temperature (° C) 121
- Max Temperature (° C) 134
- Reservoir Capacity (Qt) 2.6
- Reservoir Capacity (Liters) 2.5
- Max Pressure (PSI) 29
- Width (in) 22
- Height (in) 15 45/64
- Depth (in) 17 1/2
- Width (cm) 56
- Height (cm) 40
- Depth (cm) 44.5
- TimerYes
- Timer Range1 to 60 min at 121°C; 1 to 20 min at 134°C
- Shelves3
- Chamber constructionStainless steel
- DisplayLCD
- Power (VAC) 220
- Power (Hz) 50/60
- Power (watts) 1600
- DescriptionResearch Autoclave,18L; 220 VAC
- Warranty 3 Years

Cole-Parmer® MBS-200 Series Micro Bead Sterilizers



Removes dangers of open flame

- Suitable for use in fume hoods because the sterilizers do not use gas, flames, or chemicals
- A taller model is available for sterilization of larger tools

- Digital heat control up to 300°C

These micro bead sterilizers are ideal for cleaning of small tools. When filled with glass beads, the temperature can be used to eradicate bacteria, spores, and other microorganisms. An LED display allows you to set temperature precisely with the control knob. Multiple safety features are implemented on this sterilizer. The safety cover can be used to reduce heat loss when ramping which saves energy. The innovative design keeps heat in while the outside remains cool to the touch.

[LESS -](#)

• \$

Compare item	Chamber Height (in)	Power (VAC)
EW-01850-29 —	3.15	115
EW-01850-30 —	3.15	230

Compare item	Chamber Height (in)	Power (VAC)
EW-01850-31 —	5.5	115
EW-01850-32 —	5.5	230

Cole-Parmer Micro Bead Sterilizer, With Glass Beads, 115 VAC

Cole-Parmer – Item # EW-01850-29

Specifications & Description

• Chamber Height (in) 3.15
• Chamber Diameter (in) 1.575
• Chamber Height (cm) 8
• Chamber Diameter (cm) 4
• Min Temperature (° F) 212
• Max Temperature (° F) 572
• Min Temperature (° C) 100
• Max Temperature (° C) 300
• Width (in) 5
• Height (in) 6
• Depth (in) 5 45/64
• Width (cm) 13
• Height (cm) 15.5
• Depth (cm) 14.5
• DisplayLED
• Power (VAC) 115
• Power (Hz) 50/60

- DescriptionMicro Bead Sterilizer, With Glass Beads, 115 VAC
- Warranty 3 Years

Cole-Parmer Micro Bead Sterilizer, With Glass Beads, 230 VAC

Cole-Parmer – Item # EW-01850-30

Specifications & Description

- Chamber Height (in) 3.15
- Chamber Diameter (in) 1.575
- Chamber Height (cm) 8
- Chamber Diameter (cm) 4
- Min Temperature (° F) 212
- Max Temperature (° F) 572
- Min Temperature (° C) 100
- Max Temperature (° C) 300
- Width (in) 5
- Height (in) 6
- Depth (in) 5 45/64
- Width (cm) 13
- Height (cm) 15.5
- Depth (cm) 14.5
- DisplayLED
- Power (VAC) 230
- Power (Hz) 50/60
- DescriptionMicro Bead Sterilizer, With Glass Beads, 230 VAC
- Warranty 3 Years

Cole-Parmer Micro Bead Sterilizer, Tall Model, With Glass Beads, 115 VAC

Cole-Parmer – Item # EW-01850-31

Specifications & Description

- Chamber Height (in) 5.5
- Chamber Diameter (in) 1.575
- Chamber Height (cm) 14
- Chamber Diameter (cm) 4
- Min Temperature (° F) 212
- Max Temperature (° F) 572
- Min Temperature (° C) 100
- Max Temperature (° C) 300
- Width (in) 5 1/2
- Height (in) 8 1/2
- Depth (in) 5 45/64
- Width (cm) 14
- Height (cm) 21.5
- Depth (cm) 14.5
- DisplayLED
- Power (VAC) 115
- Power (Hz) 50/60
- DescriptionMicro Bead Sterilizer, Tall Model, With Glass Beads, 115 VAC
- Warranty 3 Years

Cole-Parmer Micro Bead Sterilizer, Tall Model, With Glass Beads, 230 VAC

Cole-Parmer – Item # EW-01850-32

Specifications & Description

- Chamber Height (in) 5.5
- Chamber Diameter (in) 1.575
- Chamber Height (cm) 14
- Chamber Diameter (cm) 4
- Min Temperature (° F) 212
- Max Temperature (° F) 572
- Min Temperature (° C) 100
- Max Temperature (° C) 300
- Width (in) 5 1/2
- Height (in) 8 1/2
- Depth (in) 5 45/64
- Width (cm) 14
- Height (cm) 21.5
- Depth (cm) 14.5
- DisplayLED
- Power (VAC) 230
- Power (Hz) 50/60
- DescriptionMicro Bead Sterilizer, Tall Model, With Glass Beads, 230 VAC
- Warranty 3 Years

Cole-Parmer® Research Autoclave Accessories



Optimize the performance of your Cole-Parmer autoclave

- Compatible with Cole-Parmer Research Autoclave & Mini Research Autoclave
- Easy to use
- Record parameters for unattended use

Compare item	Description
 EW-01850-39 	Compact Printer
 EW-01850-40 	Printer Paper, 2.25" x 50'; 3/pk

Cole-Parmer® Autoclave Deodorizer Capsules



Absorb and remove autoclave odors rather than just covering them

- Choose apple or lemon scented capsules
These sterilizer deodorizers chemically absorb odor-causing molecules, removing unwanted odors from your facility rather than masking them. Simply place one capsule in your autoclave or incubator with each load. The heat and moisture dissolves the capsule and releases a clean, fresh scent.

Compare item

Description



EW-04397-52

Autoclave Deodorizers, Lemon;
100/Bottle, 6 Bottles/Cs

—



EW-04397-53

Autoclave Deodorizers, Apple;
100/Bottle, 6 Bottles/Cs

—



EW-24406-74

Autoclave Deodorizers, Apple;
100/Bottle

—



EW-24406-75

Autoclave Deodorizers, Apple;
40/Bottle

—

Compare item



EW-24407-19



EW-24407-20



EW-44468-27



EW-44468-28

Description

Autoclave Deodorizers, Lemon;
40/Bottle

Autoclave Deodorizers, Lemon;
100/Bottle

Autoclave Deodorizers, Apple;
40/Bottle, 6 Bottles/Cs

Autoclave Deodorizers, Lemon;
40/Bottle, 6 Bottles/Cs

Cole-Parmer Glass Beads Refill, 3 mm, 1000 g



Cole-Parmer – Item # EW-01850-33

No ReviewsWrite the First Review

Removes dangers of open flame

- 2 year Warranty

Specifications & Description

• Description	Glass Beads Refill, 3 mm, 1000 g
• Warranty	2 year

2
YEAR
Warranty

MORE ABOUT THIS ITEM

Make better use of your micro bead sterilizers with replacement glass beads.



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cen@nt-rt.ru || сайт: <http://coleparmer.nt-rt.ru/>